

Product datasheet

Specifications



SUPPORT 96X96 METERING DEVICE/PUSH-BUTTON FOR FRONT PLATE 03904/VISOR 03928

LVS03901

Main

Range	PrismaSeT
Range Of Product	PrismaSeT P PrismaSeT G
Product Or Component Type	Mounting plate
Accessory / Separate Part Category	Installation accessory
Range Compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Installation Description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 400 mm depth 400 mm Cubicle - width 650 mm depth 400 mm Cubicle duct - width 300 mm depth 400 mm
Mounting Plate Description	Plain
Installed Device	Human-switchboard interface: HSI
Number Of Vertical Modules [50 Mm]	3 module(s): HSI in 600 mm Widefloor-standing enclosure 3 module(s): HSI in 600 mm Widewall-mounted enclosure 3 module(s): HSI in 650 mm Widecubicle 3 module(s): HSI in 300 mm Widecubicle duct 3 module(s): HSI in 400 mm Widecubicle
Standards	IEC 61439-2
Product Certifications	ASTA

Complementary

Material	Plastic
Colour	White (RAL 9001)
Width	101 mm
Height	150 mm
Depth	15 mm
Net Weight	0.042 kg
Functional Unit	600 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 4 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface HSI 4 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 4 3 300 mm 400 mm PrismaSeT P cubicle duct human-switchboard interface HSI 4 3 400 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 4 3

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	2.0 cm
Package 1 Width	10.3 cm
Package 1 Length	14.8 cm
Package 1 Weight	47.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	75
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.927 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

✓ Pvc Free

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)


China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations

Technical illustration

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.