Product datasheet

Specifications

Green Premium™

Legend holder Ø60 for emergency stop switching off push button, plastic, yellow, unmarked

ZBY9121

Main

Range Of Produc	Harmony XB5 Harmony XB4
Product Or Component Type	Blank legend
Accessory / Separate Part Type	Legend
Accessory / Separate Part Category	Marking accessories
Marking	unmarked on yellow background
Label Dimensions	Ø 60 mm

Complementary

Sale Per Indivisible Quantity	1
Material	Plastic
Net Weight	0.004 kg

Environment

Standards	IEC 60204-1

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.560 cm
Package 1 Width	6.000 cm
Package 1 Length	6.000 cm
Package 1 Weight	8.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	3.000 cm
Package 2 Width	6.500 cm
Package 2 Length	11.000 cm
Package 2 Weight	46.000 g
Unit Type Of Package 3	S02
Number Of Units In Package 3	135
Package 3 Height	15.000 cm

Life Is On | Schneider Electric

Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	1.550 kg

Life Is On | Schneider Electric

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                   EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Environmental Disclosure   Product Environmental Profile

Circularity Profile   End of Life Information