



**Electric Automation**  
Automation specialists

Reference: DDA202A-25/0,03  
Code: 2CSB202101R1250

DDA202 A-25/0,03 - RCD Block

Buy it at Electric Automation Network



The RCD block DDA200 series is suitable for assembly with MCBs S200 series. It assures protection against the effects of sinusoidal alternating and direct pulsating earth fault currents, protection, against indirect contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

### Ordering

EAN:	8012542795407
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363030

### Dimensions

Product Net Width:	0.070 m
Product Net Height:	0.093 m
Product Net Depth:	0.069 m
Product Net Weight:	0.210 kg

### Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	0.077 m

Package Level 1 Height:	0.076 m
Package Level 1 Length:	0.102 m
Package Level 1 Gross Weight:	0.245 kg
Package Level 1 EAN:	8012542795414

## Technical

Standards:	EN 61009 Ann. G
Operating Characteristic:	Instantaneous
Type of Residual Current:	A type
Rated Residual Current:	30 mA
Rated Current ( $I_n$ ):	25 A
Number of Poles:	2
Power Loss:	2 W
Rated Voltage ( $U_r$ ):	230/400 V

## Environmental

RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07-01
--------------	--

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	ITSCE127DDA200
RoHS Information:	2CSC427001K0201

## Classifications

Object Classification Code:	Q
ETIM 4:	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 5:	EC002297 - Residual current circuit breaker (RCCB) module